DEUTS HLAND

® DE 4412190 A1



DEUTSCHES PATENTAMT

(2) Aktenzelchen: P 44 12 190.3 (2) Anmeldetag: 8. 4.94

Offenlegungstag: 12. 10. 95

(7) Anmelder:

Schreiber, Hans, Dr. Dr., 68167 Mannheim, DE

@ Erfinder: gleich Anmelder

- (G) Verfahren zur Anwendung rhenchodepressiver Sustanzen
- S Zur Rhenchopathie wird hochvernetztes Collegen oder eine ähnliche Substanz, bevorzugt mit biologischen bzw. bioenerten oder bioaktiven Füllkörpern empfohlen, das bevorzugt in dieser Zusammensetzung ins weiche Gaumensegel zur Straffung injiziert wird, ohne phonetische Beeinträchtigungen zu indizieren.

BEST AVAILABLE COPY

Beschreibung

Die Rhench pathie oder in der Umgangssprache das Schnarchen ist eine Form der Belästigung des sozialen Umfeldes, das oft zu familiären Spannungen führt.

Sie oder es tritt überwiegend in Schlafrückenlage auf und ist durch Schwingungen oder Flattern des welchen Gaumensegels, auch Velum genannt, bedingt. Das Zurückfallen der Zunge, die Behinderung der Nasenat-mung und andere Faktoren sind zusätzlich zu benennen. 10 Eine besondere pathologische Form stellt die Rhenchopathie in Kombination mit der sog. Schlafapnoe dar, bei der es zum kurzfristigen Atemstillstand kommt.

Als Gegenmaßnahmen werden v. a. eine Verhinderung der Rückenlage und in Extremfällen eine straffend 15

Gaumensegelplastik empfohlen.

Nun ist seit einigen Jahren in der plastischen Chirurgie als Alternative zum Skalpell bei Narbenkorrekturen die gezielte Injektion von Rindercollagen bekannt, das allerdings einen hohen Grad an früher Resorption auf- 20

Fibruiäres Collagen besteht aus sich wiederholenden Polypeptid-Untereinheiten, genannt Tropocollagen. Diese sind zu parallelen Bündeln angeordnet und weisen eine charakteristische 64-nm lange Querstreifung 25 zumindest bei den meisten Collagenen auf.

Es besteht die Möglichkeit, über den Chemismus Collagen mit seinem ungewöhnlich hohen Anteil von Prolin- und Hydroxyprolinresten zusätzlich kovalent quer

zu vernetzen.

Im Falle der kosmetischen Applikation ist damit die Möglichkeit geschaffen, das Collagen nicht nur subcutan zu injizieren und die Resorption zu verzögern.

Aus diesem Grundgedanken heraus entstand der erfinderische Gedanke, quervernetztes Collagen, bevor- 35 zugt mit biologischen und/oder bioaktiven Füllstoffen ins Velum zu applizieren, um auf diesem Wege eine angestrebte Velumstraffung ohne phonetische Beeinträchtigungen zu schaffen.

Wirkstoff und Anwendung sind in Verbindung mit der 40

Beschreibung den Ansprüchen zu entnehmen.

Patentansprüche

1. Verfahren zur Anwendung rhenchodepressiver 45 Substanzen, dadurch gekennzeichnet, daß bio-kompatibles, besser biologisches Material ins bzw. um das weiche Gaumensegel injiziert wird, um dessen Straffung bei Indikation der Rhenchopathie zu bewirken.

2. Verfahren nach Anspruch 1, dadurch gekenn-zeichnet, daß die Substanz nach Verträglichkeitste-

stung angewandt wird.

3. Verfahren nach mindestens einem der Ansprüche 1, 2, dadurch gekennzeichnet, daß bevorzugt die 55 Substanz sukzessive und beginnend mit kleinen Dosen unter Beachtung der Stimmveränderung infiziert wird.

4. Verfahren nach mindestens einem der Ansprüche 1-3, dadurch gekennzeichnet, daß die Substanz 60

nach Grenzresorption nachinjiziert wird.

5. Verfahren nach mindestens einem der Ansprüche 1-4, dadurch gekennzeichnet, daß bevorzugt mit inerten oder bloaktiven Füllkörpern quervernetztes Collagen seitlich und/oder um die Umgebung 65 des Frenulums injiziert wird.

6. Verfahren nach mindestens einem der Ansprüche 1-5, dadurch gekennzeichnet, daß das Ende der Rhenchopathie das Ende des vorläufigen therapeutischen Vorgehens bedeutet.

7. Rhenchodepressive Substanz nach Anspruch 1, dadurch gekennzeichnet, daß diese als Grundgerüst ein quervernetztes Collagen oder eine bioverträgliche Substanz gleicher Wirkung aufweist.

8. Rhenchodepressive Substanz nach Anspruch 1, 7, dadurch gekennzeichnet, daß miniaturisierte, bevorzugt bioaktive Füllkörper in das quervernetzte Collagen passiv und/oder über chemische Bindung aktiv ins Collagen oder die Substanz gleicher Wir-

kung eingelagert sind.

9. Rhenchodepressive Substanz nach mindestens einem der Ansprüche 1, 7, 8, dadurch gekennzeichnet, daß diese bei korrekter Anwendung zu einem Straffungseffekt des Velums geführt hat, ohne negative phonetische Auswirkungen bewirkt zu ha-

BEST AVAILABLE COPY

FEDERAL REPUBLIC OF GERMANY GERMAN PATENT OFFICE PATENT NO. DE 44 12 190 A1

(Offenlegungsschrift)

Int. Cl.6:

A 61 K

38/22

Filing No.:

P 44 12 190.3

Filing Date:

April 8, 1994

Publication Date:

October 12, 1995

METHOD FOR APPLICATION OF RHONCHODEPRESSIVE SUBSTANCES

Inventor:

Dr. Hans Schreiber

68167 Mannheim, DE

Applicant:

Dr. Hans Schreiber 68167 Mannheim, DE

Highly crosslinked collagen or a similar substance, preferably with biological or bioinert or bioactive fillers, which preferably in this connection is injected into the soft palate to tighten it, without indicating phonetic interferences.

Description

Rhonchopathy, or in common speech snoring, is a form of stress on the social milieu that often leads to family tensions.

It arises chiefly when a person sleeps on his back and is caused by vibrations or fluttering of the soft palate, which is also called the velum. The tongue falling back, blocking of nasal respiration, and other factors may also be mentioned. One particular pathological form is rhonchopathy in combination with sleep apnea, in which brief respiratory arrest occurs.

Countermeasures that have been recommended are above all not sleeping on the back and, in extreme cases, surgery to tighten the soft palate.

For several years now an alternative to the knife in the correction of scars in plastic surgery has been the targeted injection of bovine collagen, which, however, has a high d gree of early resorption.

Fibrillary collagen consists of repeating polypeptide subunits, which are called tropocollagen. These are arranged in parallel bundles and have characteristic 64 nm long cross bands, at least in the case of most collagens.

There is the possibility of additionally covalently crosslinking collagen with its unusually high fraction of proline and hydroxyproline residues by chemical means.

Thus in the case of cosmetic application the possibility is created of injecting collagen not only subcutaneously and of delaying the resorption.

These ideas were the basis for the inventive notion of administering crosslinked collagen, preferably with biological and/or bioactive fillers, into the velum in order to create in this way a desired tightening of the velum without having phonetic adverse effects.

The active agent and use are to be taken from the claims in combination with the description.

Claims

- 1. A method for using rhoncho-depressive substances, which is characterized by the fact that a biocompatible, better biological material is injected into or around the soft palate in order to bring about tightening of it when there is an indication of rhonchopathy.
- 2. A method as in Claim 1, which is characterized by the fact that the substance is administered after testing for compatibility.
- 3. A method as in at least one of Claims 1, 2, which is characterized by the fact that the substance is injected successively and beginning with small doses while observing the change of the voice.
- 4. A method as in at least one of Claims 1-3, which is characterized by the fact that the substance is injected again after limiting resorption.
- 5. A method as in at least one of Claims 1-4, which is characterized by the fact that collagen preferably crosslinked with inert or bioactive fillers is injected at the side and/or in the environment of the frenulum.
- 6. A method as in at least one of Claims 1-5, which is characterized by the fact that the end of rhonchopathy signifies the end of the temporary therapeutic procedure.
- 7. A rhonchodepressive substance as in Claim 1, which is characterized by the fact that it has as basic framework a crosslinked collagen or a biocompatible substance of equal effect.
- 8. A rhonchodepressive substance as in Claim 1, 7, which is characterized by the fact that miniaturized, preferably bioactive fillers are incorporated passiv ly into the crosslinked collagen and/or by chemical bonding actively into collagen or the substance of equal effect.

9. A rhonchodepressive substance as in at least one of Claims 1, 7, 8, which is characterized by the fact that in corrective application it leads to a tightening effect of the velum without having adverse phonetic effects.